

# Safety data sheet

Page: 1/9

Chemetall (now part of BASF Group) Safety data sheet

Date / Revised: 12.12.2018 Version: 1.0

Product: **BLACKGUARD** 

(30722005/SDU\_GEN\_NZ/EN)

Date of print 04.03.2019

# 1. Substance/preparation and manufacturer/supplier identification

# **BLACKGUARD**

Manufacturer/supplier:

Chemetall (New Zealand) Ltd 664 Rosebank Road Avondale,

Auckland 1026 NEW ZEALAND

Telephone: 008 837 464, +64 9 820 3888

Telefax number: +64 9 820 3979 E-mail address: nzadmin@basf.com

Emergency information: Telephone: 0800 734 607

### **SECTION 2. HAZARDS IDENTIFICATION**

# **GHS Classification**

Not a hazardous substance or mixture.

# **GHS** label elements

Not a hazardous substance or mixture.

# Other hazards which do not result in classification

The information required is contained in this Material Safety Data Sheet. As with all chemicals we recommend that you avoid contact with skin and eyes.

Wear gloves and glasses as appropriate.

Date / Revised: 12.12.2018 Version: 1.0

Product: BLACKGUARD

(30722005/SDU\_GEN\_NZ/EN)

Date of print 04.03.2019

Substance / Mixture : Mixture

# **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
2-Butoxyethanol	111-76-2	< 10

### **SECTION 4. FIRST AID MEASURES**

General advice : First aider needs to protect himself.

Move out of dangerous area.

Take off contaminated clothing and shoes immediately.

Inhalation : Move to fresh air.

If symptoms persist, call a physician.

Skin contact : Wash off with soap and plenty of water.

If symptoms persist, call a physician.

Eye contact : Rinse immediately with plenty of water, also under the eyelids.

Consult a physician.

Ingestion : Rinse mouth.

Do NOT induce vomiting.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: No information available.

: Treat symptomatically. Notes to physician

For specialist advice physicians should contact the Poisons

Information Service.

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Carbon dioxide (CO2)

Dry powder

Alcohol-resistant foam

Water spray

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Heating or fire can release toxic gas.

Specific extinguishing

methods

: Use water spray to cool unopened containers.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Date / Revised: 12.12.2018 Version: 1.0

Product: **BLACKGUARD** 

(30722005/SDU\_GEN\_NZ/EN)

Date of print 04.03.2019

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Wear personal protective equipment.

For further information see Section 8 of the safety data sheet.

For disposal considerations see section 13.

**Environmental precautions** 

: Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

Methods and materials for containment and cleaning up

: Ensure adequate ventilation.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

: Keep away from sources of ignition - No smoking. Normal measures for preventive fire protection. Take precautionary

measures against static discharges.

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.

Ensure that eye flushing systems and safety showers are

located close to the working place.

To avoid risks to man and the environment, comply with the

instructions for use.

Hygiene measures : Take off contaminated clothing and shoes immediately.

Keep away from food, drink and animal feedingstuffs.

Wash hands before breaks and immediately after handling the

product.

Avoid contact with skin and eyes.

Do not breathe vapour.

Conditions for safe storage

: Keep containers tightly closed in a cool, well-ventilated place.

Store in original container.

Store in a place accessible by authorized persons only. To maintain product quality, do not store in heat or direct

sunlight.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

•	•			
Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-Butoxyethanol	111-76-2	TWA	20 ppm 96.9 mg/m3	AU OEL

Date / Revised: 12.12.2018 Version: 1.0

Product: **BLACKGUARD** 

### (30722005/SDU\_GEN\_NZ/EN)

Date of print 04.03.2019

Further information: Skin absorption			
	STEL	50 ppm 242 mg/m3	AU OEL
Further information: Skin absorption			
	TWA	20 ppm	ACGIH

# **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
2-Butoxyethanol	111-76-2	Butoxyaceti c acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

# Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Recommended Filter type:

A-P2

Hand protection

Remarks : Neoprene gloves butyl-rubber Protective gloves complying

with EN 374. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Eye protection : Safety glasses with side-shields conforming to EN166

Skin and body protection : Chemical resistant protective clothing according to DIN EN

13034 (Type 6)

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Emulsion

Colour : white

Boiling point/boiling range : 95 °C

Flash point : Not applicable

Density : 1.24 g/cm<sup>3</sup>

Solubility(ies)

Date / Revised: 12.12.2018 Version: 1.0

Product: **BLACKGUARD** 

(30722005/SDU\_GEN\_NZ/EN)

Date of print 04.03.2019

Water solubility : Formation of an emulsion.

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: None known.

Conditions to avoid : Keep away from open flames, hot surfaces and sources of

ignition.

Hazardous decomposition

products

: No decomposition if used as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

# Skin corrosion/irritation

**Product:** 

Remarks: May cause skin irritation in susceptible persons.

# Serious eye damage/eye irritation

**Product:** 

Remarks: May cause eye irritation with susceptible persons.

# Respiratory or skin sensitisation

**Product:** 

Remarks: No data available

Date / Revised: 12.12.2018 Version: 1.0

Product: **BLACKGUARD** 

(30722005/SDU\_GEN\_NZ/EN)

Date of print 04.03.2019

**Chronic toxicity** 

Germ cell mutagenicity

Product : No data available

Carcinogenicity

Product : No data available

Reproductive toxicity

Product : No data available

STOT - single exposure

Product : No data available

STOT - repeated exposure

Product : No data available

**Aspiration toxicity** 

Product : No data available

# **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

### **Components:**

2-Butoxyethanol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,490 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 1,720 mg/l

Exposure time: 24 h

Toxicity to algae : EC0 (Scenedesmus quadricauda (Green algae)): 900 mg/l

Exposure time: 168 h

Test Type: Cell multiplication inhibition test

Toxicity to bacteria : EC0 (Pseudomonas putida): 700 mg/l

Exposure time: 16 h

# Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Date / Revised: 12.12.2018 Version: 1.0

Product: **BLACKGUARD** 

(30722005/SDU\_GEN\_NZ/EN)

Date of print 04.03.2019

# **Bioaccumulative potential**

**Product:** 

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Components:

2-Butoxyethanol:

Partition coefficient: : log Pow: 0.81 (25 °C)

n-octanol/water Method: OECD Test Guideline 107

Mobility in soil

**Product:** 

Distribution among : Remarks: No data available

environmental compartments

Other adverse effects

No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of contents/ container to an approved waste disposal

plant.

Packaging : Dispose of as unused product.

# **SECTION 14. TRANSPORT INFORMATION**

# International Regulation

### **UNRTDG**

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

### **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

# **ADG**

Not regulated as a dangerous good

Date / Revised: 12.12.2018 Version: 1.0

Product: **BLACKGUARD** 

(30722005/SDU\_GEN\_NZ/EN)

Date of print 04.03.2019

### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is classified and labelled in accordance with EC directives or respective national laws. Regional or national implementations of GHS may not implement all hazard classes and categories. Standard for the Uniform : No poison schedule number allocated

Scheduling of Medicines and

Poisons

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO -International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### **Further information**

Other information :

Date format : dd.mm.yyyy

Date / Revised: 12.12.2018 Version: 1.0

Product: **BLACKGUARD** 

(30722005/SDU\_GEN\_NZ/EN)

Date of print 04.03.2019

AU / EN

Vertical lines in the left hand margin indicate an amendment from the previous version.

The content of this Safety Data Sheet (SDS) is based on an existing document from an acquired company with adaptations to Section I. The data is currently under validation.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.